

Data sheet

HI

PRODUCT DESCRIPTION

IP62 stainless steel electronic weighing platform.
Standard version with approved cell.



MAIN FEATURES

- Operation with approved “single point” stainless steel load cell, according to OIML R60 standards with protection from dust and humidity and according to IP67 standards
- Structure with tubulars, mechanics, miniatures and satin finish loading surface in AISI304
- Adjustable stainless steel feet with plastic support and level bubble
- Max power supply: 15 Vdc
- 3 m shielded connection cable complete with connectors for display connection

OPTIONS

- Load cell 6000 divisions
- Indicator holder column
- Cable length up to 20 m

DIMENSIONS

DIMENSIONS LxPxH (mm)	CAPACITY MAX (kg)	DIVISION STANDARD (g)	DIVISION CE-M (g)	DIVISION CE-M (g)
350x250x100	1,5	0,5	-	-
350x250x100	3	0,5	1	-
350x250x100	6	1	2	1-2
350x250x100	15	2	5	2-5
350x250x100	30	5	10	5-10
400x400x145	15	2	5	2-5
400x400x145	30	5	10	5-10
400x400x145	60	10	20	10-20
400x400x145	150	20	50	20-50
600x600x145	60	10	20	10-20
600x600x145	150	20	50	20-50
600x600x145	300	50	100	50-100



LAYOUT



