

## Data sheet

### QI

#### PRODUCT DESCRIPTION

IP65 stainless steel electronic single cell weighing platform.  
Standard version with approved cell.



#### MAIN FEATURES

- Operation with approved “single point” stainless steel load cell, according to OIML R60 standards with protection from dust and humidity and according to IP67 standards
- Sheet metal structure and satin AISI304 stainless steel loading surface
- Adjustable stainless steel feet with plastic support and level bubble
- Max power supply: 15 Vdc
- 3 m shielded connection cable complete with connectors for display connection

#### OPTIONS

- Load cell 6000 divisions
- Indicator holder column
- Cable length up to 20 m



#### DIMENSIONS


DIMENSIONS LxPxH (mm)	CAPACITY MAX (kg)	DIVISION STANDARD (g)	DIVISION CE-M (g)	DIVISION CE-M (g)
300x300	1,5	0,5	-	-
300x300	3	0,5	1	-
300x300	6	1	2	1-2
300x300	15	2	5	2-5



## LAYOUT

---





---

R.S. Bilance S.r.l.  
Via Rinaudo, 19, Valcorrente - 95032 Belpasso CT  
Tel. +39 095 3523283  
[commerciale@rsbilance.com](mailto:commerciale@rsbilance.com)  
[www.rsbilance.com](http://www.rsbilance.com)